Renown® Waterbased Stainless Steel Cleaner 880260)

(REN05006 - AM /

Version 1.0	Revision Date 05/01/2015	Print Date 05/29/2015

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	Renown® Waterbased Stainless Steel Cleaner
Material number	:	A00142
Manufacturer or supplier's	deta	ils
Company	:	Interline Brands
Address	:	701 San Marco Blvd. Jacksonville, FL 32207
Telephone	:	1-866-412-6726

Emergency telephone numbers		
For SDS Information	:	1-866-412-6726
For a Medical Emergency	:	1-800-424-9300
For a Transportation	:	Chemtrec 1-800-424-9300
Emergency		

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	Aerosol containing a liquefied gas
Colour	light cream
Odour	characteristic

GHS Classification

Flammable aerosols Gases under pressure Skin irritation Skin sensitisation	 Category 2 Liquefied gas Category 2 Category 1
GHS Label element	
Hazard pictograms	
Signal word	: Warning
Hazard statements	 H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H315 Causes skin irritation. H317 May cause an allergic skin reaction.
Precautionary statements	 Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.

Renown® Waterbased Stainless Steel Cleaner	
880260)	

(REN05006 - AM /

/ersion 1.0	Revision Date 05/01/2015	Print Date 05/29/2015		
	 P264 Wash skin thoroughly after P272 Contaminated work clothing the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash P333 + P313 If skin irritation or raadvice/ attention. P362 Take off contaminated cloth Storage: P410 + P412 Protect from sunlightemperatures exceeding 50 °C/ 1 Disposal: 	 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. Storage: P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: P501 Dispose of contents/container in accordance with local 		
Potential Health Effects				
Carcinogenicity:				
IARC	No component of this product preser equal to 0.1% is identified as probab human carcinogen by IARC.	le, possible or confirmed		
ACGIH	No component of this product preser equal to 0.1% is identified as a carcin carcinogen by ACGIH.			
OSHA	No component of this product preser equal to 0.1% is identified as a carcil carcinogen by OSHA.			
NTP	No component of this product preser equal to 0.1% is identified as a know			

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light	64742-47-8	>= 10 - < 20
propane	74-98-6	>= 5 - < 10
butane	106-97-8	>= 1 - < 5
Stoddard solvent	8052-41-3	>= 1 - < 5
citral	5392-40-5	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

SAFETY DATA SHEET Renown® Waterbased Stainless Steel Cleaner 880260)

(REN05006 – AM /

880260)		
Version 1.0	Revision Date 05/01/2015	Print Date 05/29/2015
In case of skin contact	 If skin irritation persists, call a phy Wash off immediately with plenty minutes. If on clothes, remove clothes. 	
In case of eye contact	: Remove contact lenses. Flush eyes with water at least 15 attention if eye irritation develops	
If swallowed	 Keep respiratory tract clear. DO NOT induce vomiting unless of physician or poison control center 	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical	
Unsuitable extinguishing media	High volume water jet	
Specific hazards during firefighting	Do not allow run-off from fire fighting to enter drains or courses.	water
Hazardous combustion products	Carbon dioxide (CO2) Carbon monoxide Smoke Silicon oxides	
Specific extinguishing methods	Use extinguishing measures that are appropriate to loca circumstances and the surrounding environment.	al
Further information	Collect contaminated fire extinguishing water separately must not be discharged into drains. Fire residues and contaminated fire extinguishing water be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed containments. Use a water spray to cool fully closed containers.	r must
Special protective equipment for firefighters	Wear self-contained breathing apparatus for firefighting necessary.	ı if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions,	: Use personal protective equipment.
protective equipment and	Ensure adequate ventilation.
emergency procedures	Remove all sources of ignition.
	Evacuate personnel to safe areas.
	Beware of vapours accumulating to form explosive
	concentrations. Vapours can accumulate in low areas.

Renown® Waterbased Stainless Steel Cleaner
880260)

(REN05006 - AM /

Prevent product from entering drains. Prevent further leakage or spillage if s If the product contaminates rivers and respective authorities.	safe to do so.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national regulations. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
Conditions for safe storage	 BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
propane	74-98-6	TWA	1,000 ppm	ACGIH
		TWA	1,000 ppm 1,800 mg/m3	NIOSH REL
		TWA	1,000 ppm 1,800 mg/m3	OSHA Z-1
		TWA	1,000 ppm	OSHA P0

Renown[®] Waterbased Stainless Steel Cleaner 880260)

(REN05006 - AM /

ersion 1.0	Revision I	Revision Date 05/01/2015		Print Date 05/29/2015	
			1,800 mg/m3		
butane	106-97-8	TWA	800 ppm 1,900 mg/m3	NIOSH REL	
		TWA	800 ppm 1,900 mg/m3	OSHA P0	
Stoddard solvent	8052-41-3	TWA	100 ppm	ACGIH	
		TWA	350 mg/m3	NIOSH REL	
		С	1,800 mg/m3	NIOSH REL	
		TWA	500 ppm 2,900 mg/m3	OSHA Z-1	
		TWA	100 ppm 525 mg/m3	OSHA P0	

Personal protective equipment

Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment.	
Hand protection Remarks	: The suitability for a specific workplace should be discussed with the producers of the protective gloves.	
Eye protection	: Safety glasses	
Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.	
Hygiene measures	 When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday. 	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: Aeros	sol containing a liquefied gas
Colour	: light o	cream
Odour	: chara	acteristic
Odour Threshold	: no da	ata available
рН	: no da	ata available
Melting point/freezing point	: no da	ata available
Boiling point	: no da	ata available
Flash point	:	
	no da	ata available
Evaporation rate	: no da	ata available
Flammability (solid, gas)	: Extre	mely flammable aerosol.
Upper explosion limit	: no da	ata available

Renown[®] Waterbased Stainless Steel Cleaner 880260)

(REN05006 - AM /

Version 1.0	Revision Date 05/01/2015	Print Date 05/29/2015
Lower explosion limit	: no data available	
Vapour pressure	: no data available	
Relative vapour density	: no data available	
Density	: 0.938 g/cm3	
Solubility(ies)		
Water solubility	: partly soluble	
Partition coefficient: n- octanol/water	: no data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: no data available	
Viscosity		
Viscosity, kinematic	: no data available	
Heat of combustion	: 15.00 kJ/g	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
reactions	Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon dioxide (CO2) Carbon monoxide

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:				
Distillates (petroleum), hydrotreated light:				
Acute oral toxicity	: LD50 rat: > 5,000 mg/kg			
Acute inhalation toxicity	: LC50 rat: > 4.6 mg/l			
	Exposure time: 6 h			
Acute dermal toxicity	: LD50 rat: > 2,000 mg/kg			
, to allo a chinar to holdy				

SAFETY DATA SHEET (REN05006 - AM / **Renown® Waterbased Stainless Steel Cleaner** 880260) Version 1.0 Revision Date 05/01/2015 Print Date 05/29/2015 propane: Acute inhalation toxicity : LC50 mouse: 1,237 mg/l Exposure time: 2 h LC50 rat: 658 mg/l Exposure time: 4 h LC50 rat: 1,355 mg/l butane: : LC50 mouse: 1,237 mg/l Acute inhalation toxicity Exposure time: 2 h LC50 rat: 1,355 mg/l Skin corrosion/irritation Product: Remarks: May cause skin irritation and/or dermatitis. Serious eye damage/eye irritation Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

Product:

Remarks: Causes sensitisation.

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Distillates (petroleum), hydrotreated light: propane: butane: Stoddard solvent: citral:

STOT - single exposure

no data available

STOT - repeated exposure

no data available

Aspiration toxicity

Renown® Waterbased Stainless Steel Cleaner 880260)

(REN05006 - AM /

Version 1.0

Revision Date 05/01/2015

Print Date 05/29/2015

no data available

Further information

Product:

Remarks: no data available

Components:

Distillates (petroleum), hydrotreated light:

Remarks: no data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

no data available

Persistence and degradability

no data available	
Bioaccumulative potential	

P	od	uc	t:
-			_

Partition coefficient: n- octanol/water <u>Components:</u> butane :	: Remarks: no data available
Partition coefficient: n- octanol/water citral :	: Pow: 2.89
Partition coefficient: n- octanol/water	: Pow: 2.76
Mobility in soil	
no data available	
Other adverse effects	
no data available <u>Product:</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological information	: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Harmful to aquatic life with long lasting effects.
Components:	

Renown[®] Waterbased Stainless Steel Cleaner 880260)

(REN05006 - AM /

Version 1.0	Revision Date 05/01/2015	Print Date 05/29/2015

Distillates (petroleum), hydrotreated light :

Additional ecological : no data available information

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues :	Dispose of in accordance with local regulations.
Contaminated packaging :	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): ORM-D, CONSUMER COMMODITY

Transportation Regulation: IMDG (Vessel): UN1950, AEROSOLS, 2.1, - Limited quantity

Transportation Regulation: IATA (Cargo Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: IATA (Passenger Air): UN1950, Aerosols, flammable, 2.1, - Limited quantity

Transportation Regulation: TDG (Canada): UN1950, AEROSOLS, 2.1, - Limited quantity

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
xylenes	1330-20-7	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

_

Renown® Waterbased Stainless Steel Cleaner 880260)


(REN05006 - AM /

000200/		
Version 1.0	Revision Date 05/01/2015	Print Date 05/29/2015
SARA 311/312 Hazard	s : Fire Hazard Sudden Release of Pressure Hazard Acute Health Hazard	
SARA 302	: SARA 302: No chemicals in this mate reporting requirements of SARA Title	
SARA 313	: SARA 313: This material does not concomponents with known CAS number threshold (De Minimis) reporting level Title III, Section 313.	rs that exceed the
California Prop 65	This product does not contain any che California to cause cancer, birth defe reproductive harm.	
The components of thi	s product are reported in the following inve	ntories:
TSCA DSL AICS NZIOC PICCS IECSC	On TSCA Inventory This product contains one or several components that are not on the Canadian DSL nor NDSL. Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory Not in compliance with the inventory	
	-	

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIOC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



OSHA GHS Label Information:

SAFETY DATA SHEET Renown® Waterbased Stainless Steel Cleaner 880260)

(REN05006 - AM /

Version 1.0	Revision Date 05/01/2015	Print Date 05/29/2015
Hazard pictograms		
Signal word Hazard statements	 : Warning: : Flammable aerosol. Contains gas under pressure; may e irritation. May cause an allergic skin reaction. 	explode if heated. Causes skin
Precautionary statements	 Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Wash skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. Response: IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/ attention. Take off contaminated clothing and wash before reuse. Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Disposal: Dispose of contents/container in accordance with local regulation. 	

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.