SAFETY DATA SHEET

Date Prepared: 3/30/2015

SDS No: Interline Carpet Extraction Cleaner

Carpet Extraction Cleaner

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Carpet Extraction Cleaner

PRODUCT DESCRIPTION: Carpet Extraction Cleaner PRODUCT CODE: REN07001-MS(SX-0463849) CHEMICAL FAMILY: Solvent/detergent blend

DISTRIBUTOR

24 HR. EMERGENCY TELEPHONE NUMBERS

Interline Brands, Inc.

CHEM-TREC (Medical and Transportation): 800-424-9300
701 San Marco Blvd.

Jacksonville, FL 32207 Customer Service: 866-412-6726

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Health:

Eye Irritation, Category 2A Skin Irritation, Category 2

GHS LABEL



Exclamation mark

SIGNAL WORD: WARNING HAZARD STATEMENTS

H319: Causes serious eye irritation.

H315: Causes skin irritation.

H303: May be harmful if swallowed.

PRECAUTIONARY STATEMENT(S)

Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash thoroughly after handling.

P102: Keep out of reach of children.

Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P302+P352: IF ON SKIN: Wash with plenty of soap and water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

Storage:

P404: Store in a closed container.

Disposal:

P501: Dispose of contents/container in accordance with local, state and federal regulations.

EMERGENCY OVERVIEW

PHYSICAL APPEARANCE: Clear Liquid

IMMEDIATE CONCERNS: Eye & Skin irritant

POTENTIAL HEALTH EFFECTS

EYES: Contact causes severe eye irritation.

SKIN: Contact may cause moderate to severe irritation.

SKIN ABSORPTION: None Expected.

INGESTION: Although of moderate to low toxicity, ingestion can cause gastrointestinal irritation, nausea, vomiting, diarrhea,

and possible death.

INHALATION: Mist is irritating to nose, throat and lungs.

REPRODUCTIVE TOXICITY

TERATOGENIC EFFECTS: None known.

CARCINOGENICITY: No listed substance

MUTAGENICITY: None known.

MEDICAL CONDITIONS AGGRAVATED: Previous skin conditions such as dermatitis may be aggrevated.

ROUTES OF ENTRY: Eye, skin, ingestion.

CANCER STATEMENT: None

WARNING CAUTION LABELS: Irritant PHYSICAL HAZARDS: None Expected.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Wt.%	CAS
Diethylene Glycol Butyl Ether	5 - 10	112-34-5
2-Propenoic acid, methyl ester, reaction products with 2-ethyl-1-hexanamine	0 - 5	68610-44-6
Tetrasodium ethylenediamine tetraacetate	0 - 5	64-02-8
Isopropanol	0 - 1	67-63-0
Fragrance	0 - 1	N/A
Water	80 - 85	7732-18-5

4. FIRST AID MEASURES

EYES: Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention immediately.

SKIN: Wash with soap and water. Get medical attention if irritation develops or persists.

INGESTION: Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

INHALATION: Remove victim to fresh air and monitor. Seek medical advise if irritation persists.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

EYES: Burning sensation with tearing, redness.

SKIN: Burning sensation, redness. **SKIN ABSORPTION:** Not Established

INGESTION: Irritation of mouth, throat, along with stomach upset, vomiting.

INHALATION: Irritation of nose, throat and lungs with coughing, sneezing, possible difficulty breathing.

ACUTE TOXICITY: Severely irritating to eyes. Causes moderate to severe skin irritation. Harmful if swallowed.

5. FIRE FIGHTING MEASURES

FLAMMABLE CLASS: NA = Not Applicable GENERAL HAZARD: NA = Not Applicable

EXTINGUISHING MEDIA: Not required. Water based material.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Avoid walking in product. Wipe up or otherwise flush small spills to sanitary sewer.

LARGE SPILL: Avoid walking in material. Prevent product from entering into stream, soil, storm sewer or other bodies of water.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL: Avoid discharges into open waterways.

LAND SPILL: Avoid discharge to soil.

GENERAL PROCEDURES: Isolate spill or leak area immediately. Keep unauthorized personnel away. Do not touch or walk through spilled material. Prevent entry into waterways, sewers, or confined areas. Absorb with dry earth, sand or other non-combustible material and transfer to containers.

SPECIAL PROTECTIVE EQUIPMENT: Eye protection, rubber gloves, rubber boots to protect feet.

7. HANDLING AND STORAGE

GENERAL PROCEDURES: Close container after use.

HANDLING: Wear eye protection, rubber gloves when handling concentrate.

STORAGE: Store in area inaccessible to children.

STORAGE TEMPERATURE: Store at ambient temperatures. **STORAGE PRESSURE:** Store at ambient atmospheric pressure.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE GUIDELINES

OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200)							
		EXPOSURE LIMITS					
		OSHA PEL		ACGIH TLV		Supplier OEL	
Chemical Name		ppm	mg/m³	ppm	mg/m³	ppm	mg/m³
Diethylene Glycol Butyl Ether	TWA			10		35	NL
	STEL					NL	NL
Isopropanol	TWA	400	980	200	490	NL	NL
	STEL			400	960	NL	NL

ENGINEERING CONTROLS: Use in well ventilated area.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: Chemical splash goggles. **SKIN:** Rubber or other chemical resistant gloves.

RESPIRATORY: A respirator is not needed under normal and intended conditions of product use.

PROTECTIVE CLOTHING: Chemical resistant outerwear (tyvek) if contact with spray or mist is anticipated.

WORK HYGIENIC PRACTICES: Wash with soap and water after handling. Do not eat, drink or smoke while using product.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

ODOR: Floral

COLOR: Water Clear **pH:** 9.5 to 10.0

PERCENT VOLATILE: >90

FLASH POINT AND METHOD: None

FLAMMABLE LIMITS: N/A

AUTOIGNITION TEMPERATURE: NA = Not Applicable

VAPOR PRESSURE: ≤ 20 mm Hg at (68°F)

VAPOR DENSITY: ≤ 1 Air = 1

BOILING POINT: 212° F; 100° C

FREEZING POINT: 32° F; 0° C

MELTING POINT: Not Available

SOLUBILITY IN WATER: Complete

EVAPORATION RATE: (Water =1) 1.0

DENSITY: 8.43 at (68°F)

SPECIFIC GRAVITY: 1.01 grams/ml.

VISCOSITY: Water thin.

(VOC): None

10. STABILITY AND REACTIVITY

REACTIVITY: Stable

HAZARDOUS POLYMERIZATION: No

STABILITY: Stable under normal storage and use conditions.

CONDITIONS TO AVOID: Not Established

POSSIBILITY OF HAZARDOUS REACTIONS: None Expected. HAZARDOUS DECOMPOSITION PRODUCTS: None known. INCOMPATIBLE MATERIALS: Strong acids, oxidizers.

11. TOXICOLOGICAL INFORMATION

ACUTE

Chemical Name	ORAL LD ₅₀ (rat)	DERMAL LD ₅₀ (rabbit)	INHALATION LC ₅₀ (rat)
Diethylene Glycol Butyl Ether	~ 4500 mg/kg (rat)	~ 2764 mg/kg (rabbit)	
Tetrasodium ethylenediamine tetraacetate	3030 mg/kg (rat)	> 5000 mg/kg (rabbit)	
Isopropanol	5045 mg/kg (rat)	12800 mg/kg (rabbit)	16000 ppm

EYES: Not Established

DERMAL LD₅₀: Not Established

SKIN ABSORPTION: None Expected.

ORAL LD₅₀: Not Established

INHALATION LC₅₀: Not Established

EYE EFFECTS: Moderate to severe eye irritant.

SKIN EFFECTS: Moderate skin irritant.

CARCINOGENICITY

IARC: No listed substance

IRRITATION: Irritant

SENSITIZATION: No known significant effects or critical hazards. **GENETIC EFFECTS:** No known significant effects or critical hazards.

REPRODUCTIVE EFFECTS: No known significant effects or critical hazards.

MUTAGENICITY: No known significant effects or critical hazards.

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: Not Established

ECOTOXICOLOGICAL INFORMATION: Not Established

AQUATIC TOXICITY (ACUTE): Not Established

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Small amounts (less than 5 gallons) may be disposed of in sanitary sewer. Consult local authorities for additional disposal information.

FOR LARGE SPILLS: Consult with local and state authorities for large volume disposal.

PRODUCT DISPOSAL: See above.

EMPTY CONTAINER: Rinse container with clear water. Offer container for recycling, or dispose of in trash.

RCRA/EPA WASTE INFORMATION: NA = Not Applicable

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

ROAD AND RAIL (ADR/RID)

PROPER SHIPPING NAME: Cleaning Compound, not regulated.

AIR (ICAO/IATA)

SHIPPING NAME: Cleaning Compound, not regulated.

VESSEL (IMO/IMDG)

SHIPPING NAME: Cleaning Compound, not regulated.

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES: Health - Acute

FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: Yes CHRONIC: No

313 REPORTABLE INGREDIENTS: None

EPCRA SECTION 313 SUPPLIER NOTIFICATION

Chemical Name	Wt.%	CAS
Diethylene Glycol Butyl Ether	5 - 10	112-34-5

302/304 EMERGENCY PLANNING

EMERGENCY PLAN: NA = Not Applicable

CERCLA (COMPREHENSIVE RESPONSE, COMPENSATION, AND LIABILITY ACT)

CERCLA REGULATORY: NA = Not Applicable
TSCA (TOXIC SUBSTANCE CONTROL ACT)

TSCA REGULATORY: All ingredients are listed on the TSCA Chemical Inventory.

STATES WITH SPECIAL REQUIREMENTS


Chemical Name	Requirements	
Isopropanol	Massachusetts Right to Know Substance New Jersey Right To Know Substance Pennsylvania Right to Know Substance	

CALIFORNIA PROPOSITION 65: None **CARCINOGEN:** No listed substance

16. OTHER INFORMATION

Date Prepared: 3/30/2015

HMIS RATING HEALTH 2 FLAMMABILITY 0 PHYSICAL HAZARD 0 PERSONAL PROTECTION B



MANUFACTURER DISCLAIMER: This company cannot anticipate all conditions of handling and use of this product. Therefore, this company accepts no responsibility for results obtained by the application of this information, or the safety and suitability of the product either alone or in combination with other products. It is the responsibility of the employer and/or user to provide a safe workplace, using health and safety information contained herein as a guide. This company will accept no liability for damages or losses incurred from the improper handling and use of this product.